ProSci LLC
12170 Flint Place
Poway, CA 92064, USA
ProSciAntibodies.com

P: +1 (888) 513-9525
Local: +1 (858) 513-2638
Fax: +1 (858) 513-2692

CustomerCare@ProSciAntibodies.com
ITSupport@ProSciAntibodies.com

TLR2 Rabbit Recombinant Antibody (81-391)


CATALOG NUMBER: 81-391

Specifications

Host Species	Rabbit
Species Reactivity	Human, Mouse
Immunogen	Recombinant protein (or fragment).This information is considered to be commercially sensitive.
Conjugate	Unconjugated
Tested Applications	ELISA, IF-P, IF/ICC, WB
User Note	Optimal dilutions for each application to be determined by the researcher.
Predicted Molecular Weight	90kDa


Properties

Purification	Affinity purification
Clonality	Monoclonal
Isotype	IgG
Physical State	Liquid
Buffer	Buffer: PBS with 0.02% sodium azide,0.05% BSA,50% glycerol,pH7.3.
Concentration	Batch dependent
Storage Conditions	Store at -20°C. Avoid freeze / thaw cycles.




ARC0433_WB_01_81-391

Western blot analysis of lysates from THP-1 cells using TLR2 Rabbit mAb at 1:1000 dilution incubated overnight at 4°C. | Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1:10000 dilu...




ARC0433_IF_01_81-391

Confocal imaging of paraffin-embedded Human lung tissue using TLR2 Rabbit mAb followed by a further incubation with Cy3 Goat Anti-Rabbit IgG (H+L) (Red). DAPI was used for nuclear staining (Blue). ...



ARC0433_IF_02_81-391

Confocal imaging of THP-1 cells using TLR2 Rabbit mAb followed by a further incubation with Cy3 Goat Anti-Rabbit IgG (H+L) (Red). DAPI was used for nuclear staining (Blue). Objective: 100x.



ARC0433_IF_03_81-391

Confocal imaging of RAW 264.7 cells using TLR2 Rabbit mAb followed by a further incubation with Cy3 Goat Anti-Rabbit IgG (H+L) (Red). DAPI was used for nuclear staining (Blue). Objective: 100x.

Disclaimer

Disclaimer	This product is for research use only.

For research use only. For additional information, visit ProSci's Terms and Conditions Page.