ProSci LLC
12170 Flint Place
Poway, CA 92064, USA
ProSciAntibodies.com

P: +1 (888) 513-9525
Local: +1 (858) 513-2638
Fax: +1 (858) 513-2692

CustomerCare@ProSciAntibodies.com
ITSupport@ProSciAntibodies.com

TLR2 Rabbit Recombinant Antibody (83-546)


CATALOG NUMBER: 83-546

Specifications

Host Species	Rabbit
Species Reactivity	Human, Mouse
Immunogen	Synthetic peptide. This information is considered to be commercially sensitive.
Conjugate	Unconjugated
Tested Applications	ELISA, IF-P, IF/ICC, WB
User Note	Optimal dilutions for each application to be determined by the researcher.
Predicted Molecular Weight	90kDa


Properties

Purification	Affinity purification
Clonality	Monoclonal
Isotype	IgG
Physical State	Liquid
Buffer	Buffer: PBS with 0.09% Sodium azide,0.05% BSA,50% glycerol,pH7.3.
Concentration	Batch dependent
Storage Conditions	Store at -20°C. Avoid freeze / thaw cycles.




ARC71867-01_WB_01_83-546

Western blot analysis of various lysates using TLR2 Rabbit mAb at 1:7000 dilution incubated overnight at 4°C. | Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1:10000 dilution. | L...




ARC71867-01_IF_01_83-546

Confocal imaging of paraffin-embedded Human tonsil tissue using TLR2 Rabbit mAb followed by a further incubation with Cy3 Goat Anti-Rabbit IgG (H+L) (Red). DAPI was used for nuclear staining (Blue)...



ARC71867-01_IF_02_83-546

Confocal imaging of paraffin-embedded Human lung tissue using TLR2 Rabbit mAb followed by a further incubation with Cy3 Goat Anti-Rabbit IgG (H+L) (Red). DAPI was used for nuclear staining (Blue). ...



ARC71867-01_IF_03_83-546

Confocal imaging of RAW 264.7 cells (positive) and NIH/3T3 cells (negative) using TLR2 Rabbit mAb followed by a further incubation with Cy3 Goat Anti-Rabbit IgG (H+L) (Red). The cells were counters...

Disclaimer

Disclaimer	This product is for research use only.

For research use only. For additional information, visit ProSci's Terms and Conditions Page.